

Report No. GTS2007030223EN

Job No.:25674

Date: July 13, 2020

Applicant	:	SUZHOU LOOWOOL ELECTRIC CO., LTD.
Address	:	Building 1, No. 18, nanhu road, Wuzhong District, Suzhou City, Jiangsu
		Province, PRC, China
Sample Name	:	Heavy Duty Connector
Model/Type reference	:	HE, HEE, HD, HDD, HK/HWK, HM, HQ, HA,HEAV, HSB
Sample Receiving date:	:	2020-07-03
Test period	:	2020-07-03 - 2020-07-13
Test Requirement	:	The Restriction of the Use of Certain Hazardous Substances in Electrical
		and Electronic Equipment, RoHS Directive 2011/65/EU and its amendment
		Directive (EU) 2015/863.
Test Method	:	Please refer to next page(s).
Test result	:	Please refer to next page(s).
Conclusion	:	Please refer to next page(s).
Note	:	The test results are related only to the tested items.

RAL TESTING SEOr and on behalf of
Stanghai Global Testing Services Co., Ltd.
Authorized Signatures 检测专用章
Shi Lei/Kevin
Approved Signatory -GTS/SHO

Page 1 of 7

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part(entire copy is excepted).



Report No. GTS2007030223EN

Job No.:25674

Date: July 13, 2020

A. Pb, Cd, Cr(VI), Hg, PBBs&PBDEs

Test Method:

- Disassembly, disjointment and mechanical sample preparation

 Ref. to IEC 62321-2: 2013, Disassembly, disjointment and mechanical sample preparation.
- 2. With reference to IEC 62321-1: 2013, tests were performed for the samples indicated by the photos in this report.
- (1) Screening Lead, mercury, cadmium, total chromium and total bromine

-Ref. to IEC 62321-3-1: 2013, Screening for Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry.

- (2) Wet chemical test method
 - a. Total Lead, Cadmium, Chromium and Mercury content
 - -Ref. to IEC 62321-4: 2013, determination of Mercury in polymers, metals and electronics by ICP-OES.
 - -Ref. to IEC 62321-5: 2013, determination of Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by ICP-OES.
 - b. Chromium (VI) content
 - -For Colourless and coloured corrosion-protected coatings on metals, Ref. to IEC 62321-7-1: 2015, determination of presence of hexavalent chromium (Cr(VI)) in colourless and coloured corrosion-protected coatings on metals by the colorimetric method.
 - -For polymers and electronics, Ref. to IEC 62321-7-2: 2017, determination of hexavalent chromium (Cr(VI)) in polymers and electronics by the colorimetric method.
 - c. PBBs, PBDEs

-Ref. to IEC 62321-6: 2015, determination of polybrominated biphenyls and polybrominated diphenyl ethers in polymers by gas chromatograhy -mass spectrometry (GC-MS).

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part(entire copy is excepted).



Report No. GTS2007030223EN

Job No.:25674

Date: July 13, 2020

Test result(s):

Part No. Par	Part Description	Results of EDXRF					Chemical confirmation	Conclusion
		Pb	Cd	Hg	Cr	Br	results (mg/kg)	Conclusion
1	Plastic shell	BL	BL	BL	BL	BL		Pass
3	Metal frame	BL	BL	BL	BL			Pass
4	Stud	167 (BL)	BL	BL	IN		CrVI:Negative	Pass
5	Screw 1	BL	19 (BL)	BL	IN		CrVI:Negative	Pass
6	Square gasket	BL	BL	BL	IN		CrVI:Negative	Pass
7	Screw 2	BL	BL	BL	IN		CrVI:Negative	Pass
8	Round gasket	BL	BL	BL	IN		CrVI:Negative	Pass

Remark:

(^1) "---"= Not Applicable;

(²) (a) It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).

(b) The XRF screening test for RoHS elements-The reading may be different to the actual content in the sample be of non-uniformity composition.

(c) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS for Cr(VI) and GC/MSD (for PBBs/PBDEs) is recommended to be performed if the concentration exceeds the below warming value according to IEC 62321-3-1: 2013.

Attached table 1, XRF screening limits in mg/kg for regulated elements in various matrices:

Element	Polymer Materials	Metallic Materials	Electronics
Cd	BL≤(70-3σ)< X	BL≤(70-3σ)< X	LOD< X
	< (130+3σ) ≤OL	< (130+3σ) ≤OL	< (250+3σ) ≤OL
Pb	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Hg	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Br	BL≤(300-3σ)< X	N.A.	BL≤(250-3σ)< X
Cr	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X

Note: ① BL "below limit" = the result less than the limit.

② OL "over limit" = the result greater than the limit.

Page 3 of 7

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part(entire copy is excepted).

Shanghai Global Testing Services Co., Ltd.

Floor 2nd, Building D-1, No. 128, Shenfu Road, Minhang District, Shanghai, China.

Tel: (86-21) 3363 7866 Fax: (86-21) 3363 7858 E-mail: info@gts-lab.com Web Site: http://www.gts-lab.com



Report No. GTS2007030223EN

Job No.:25674

Date: July 13, 2020

③ IN = inconclusive, the region where need further chemical testing by ICP-OES (for Pb、Cd、Hg), UV-VIS (for Cr(VI)) and GC/MSD (for PBBs, PBDEs).

- (4) 3σ = Repeability of the analyser at the action level.
- ⑤ LOD = Limit of detection.

(^3) (a) mg/kg=ppm=0.0001%; (b) N.D. = Not detected (lower than RL);

(c) Reporting Limit (RL) and Limit of Directive 2011/65/EU.

Parameter	Unit	Limit	Reporting Limit (RL)
Lead (Pb)	mg/kg	1000	10
Cadmium (Cd)	mg/kg	100	10
Mercury (Hg)	mg/kg	1000	10
Chromium VI (Cr VI)	mg/kg	1000	R1
Group PBBs	mg/kg	1000	R2
Group PBDEs	mg/kg	1000	R2

R1: Cr(VI) for metal sample, the reporting limit (RL)= Method Detection Limit (MDL)=0.10 ug/cm².

The reporting limit (RL) of Cr(VI) for polymers and electronics is 10mg/kg.

R2: The reporting limit (RL) for single compound of PBBs & PBDEs is 50mg/kg.

(d) According to IEC 62321-7-1: 2015, result on Cr(VI) for metal sample is shown as Negative, Inconclusive or Positive: Negative = Absence of Cr(VI), Inconclusive = Maybe exist Cr(VI), Positive = Presence of Cr(VI).

Colorimetric result (Cr(VI) concentration)	Qualitative result		
The sample solution is < the 0.10	The sample is negative for Cr(VI)-The Cr(VI) concentration is		
ug/cm ² equivalent comparison	below the limit of quantification. The coating is considered a		
standard solution	non-Cr(VI) based coating.		
The sample solution is \geq the 0.10	The result is considered to be inconclusive – Unavoidable		
ug/cm ² and \leq the 0.13 ug/cm ²	coating variations may influence the determination.		
equivalent comparison standard	Recommendation: if addition samples are available, perform a		
solutions	total of 3 trials to increase sampling surface area. Use the		
	averaged result of the 3 trials for the final determination.		
The sample solution is > the 0.13	The sample is positive for Cr(VI)-The Cr(VI) concentration is		
ug/cm ² equivalent comparison	above the limit of quantification and the statistical margin of		
standard solution	error. The sample coating is considered to contain Cr(VI)		

Page 4 of 7

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part(entire copy is excepted).



Report No. GTS2007030223EN

Job No.:25674

Date: July 13, 2020

B. Phthalates—DBP, BBP, DEHP & DIBP

Test Method: Ref. to IEC 62321-8: 2017

Determination of Phthalates in polymers by Gas Chromatography-Mass Spectrometry (GC-MS)

Test result:

Test item	DBP	BBP	DEHP	DIBP
Maximum Permissible Limit (mg/kg)	1000	1000	1000	1000

Material No.	Test item (mg/kg)				
	DBP	BBP	DEHP	DIBP	
1	N.D.	N.D.	N.D.	N.D.	

Remark: 1. Reporting Limit (RL) for BBP, DBP, DEHP, DIBP=50mg/kg.

2. N.D. = Not Detected (<RL).

Page 5 of 7

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part(entire copy is excepted).



Report No. GTS2007030223EN

Job No.:25674

Date: July 13, 2020

Sample photo(s):



Test item: Heavy Duty Connector Tested Model No.: /

Page 6 of 7

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part(entire copy is excepted).



Report No. GTS2007030223EN

Job No.:25674

Date: July 13, 2020



GTS authenticate the photo(s) on original report only

****End of Report****

Page 7 of 7

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part(entire copy is excepted).